


HotFrost™

DISPLAY MERCHANDISERS

U.S. Patent No. 8,171,845



MAKE IT HOT MAKE IT COLD MAKE IT HOT & COLD

It's a CounterCraft™ exclusive - and the options are endless! HotFrost™ Display Merchandisers offer as many as three serving levels - all designed for standard sheet pans. Sizes include widths for one to three full sheet pans per tier, three half pans per tier or special order lengths. With HotFrost™, food display options include hot, cold, ambient, heated pizza stone or our unique dual mode - hot/cold. CounterCraft™ takes your food service needs to the next level. It's a counter revolution!




Control panel




Rear view


The Ultimate In Display/Serving Merchandising




MODEL HF35-2
Capacity: Two (2) 18" x 26" sheet pans.
(Shown with self-contained refrigeration system required for frost applications)





MODEL HF50-2
Capacity: Six (6) 13" x 26" sheet pans.
(Self-contained refrigeration system required for frost applications)







MODEL HF64-2
Capacity: Four (4) 18" x 26" sheet pans.
(Self-contained refrigeration system required for frost applications)



MODEL HF91-2
Capacity: Six (6) 18" x 26" sheet pans.
(Self-contained refrigeration system required for frost applications)



Model HF35-2 sized for one (1) 18"x26" sheet pan per tier.
 Model HF50-2 sized for three (3) 13"x26" half sheet pans per tier.
 Model HF64-2 sized for two (2) 18"x26" sheet pans per tier.
 Model HF91-2 sized for three (3) 18"x26" sheet pans per tier.



Counter Cut Outs

Custom configurations and applications available. Contact CounterCraft for details.

Model Numbers

Model Number Explanation

Nominal Number

Length	of Tiers	Upper Tier Service	Middle Tier Service	Lower Tier Service
HF35-	1	See below	Only Required if	See Below
HF50-	2		Three Tiers	
HF64-	3		Requested	
HF91-				

Tier Service Legend

Full Function Service—Hot & Frost Service with Display Light,	HFL
Frost Only Service—Frost Service with Display Light	FOL
Heat Lamps Service—Heat Lamps with Display Light	HOL
Ambient Service—Room Temperature Service with Display Light	ABL
Full Heat Service—Heat Lamp & Heat Blanket Service with Display Light*	HBL
Heated Surface Service—Heat Blanket Under Shelf Service Only with Display Light*	BOL
Pizza Stone Service—Pizza Stone* with Heat Lamp & Heat Blanket*	PSL
Cold Pan Service—HotFrost Spans Standard 1 or 2 Pan Drop-In Cold Pan (HotFrost Service Options on Second Tier Only)	CPL

Examples:

HF35-2 HFL-HFL = Single wide 2-tier HotFrost with Full function service on both tiers.

HF64-2 ABL-FOL = Double wide 2-tier HotFrost with Ambient service on upper tier and Frost only service on lower tier.

HF35-2 HOL-FOL = Single wide 2-tier HotFrost with Heat Lamps service on upper tier and Frost only service on lower tier.

Electrical Information

Full Function Service—Hot & Frost Service with Display Light, Both Tiers: 120-208v/60Hz/1Ø

HF35-2: 9.5 amps NEMA L14-20P; HF50-2: 13.4 amps NEMA L14-20P; HF64-2: 19.5 amps NEMA L14-30P; HF91-2: 35.9 amps NEMA 14-50P

Heat Lamp Service—Heat Lamp Service with Display Light, Both Tiers: 120-208v/60Hz/1Ø

HF35-2: 9.5 amps NEMA L14-20P; HF50-2: 13.4 amps NEMA L14-20P; HF64-2: 19.5 amps NEMA L14-30P; HF91-2: 35.9 amps NEMA 14-50P

Frost Only Service—Frost Service with Display Light, Both Tiers: 120v/60Hz/1Ø/9.7 amps NEMA 5-15P All Models

Pizza Service—Pizza Stone* with Heat Lamp & Heat Blanket* Service and Display Light, Both Tiers: 120-208v/60Hz/1Ø

HF35-2: 16.0 amps NEMA L14-20P; HF64-2: 35.5 amps NEMA 14-50P

Other Services Available

Ambient—(Room) Temperature Service with Display Light

Heated Surface—Heat Blanket Under Shelf Service Only with Display Light*

Full Heat Service—Heat Lamp & Heat Blanket Service with Display Light*

Cold Pan Service—HotFrost Spans Standard 1 or 2 Pan Drop-In Cold Pan (HotFrost Service Options on Second Tier Only)

*Frost option not available with Heat Blanket or Pizza Stone service .

Custom configurations and applications available. Contact CounterCraft for details.

The CounterCraft HotFrost can be ordered in any configuration required with lengths to accommodate up to three full 18"x26" sheet pans per tier. Optional high polished edges. Individual controls for heating serving levels. Independent refrigeration control systems for frost tiers.

Lighting and frost options require 120v/60Hz/1Ph electrical service. Heat and dual temperature options require 120-208v/60Hz/1Ph electrical service. Both will be supplied with cord and plug. All stainless steel construction. All levels have individual controlled lighting.