
MOVING FORWARD BY MOVING IN REVERSE RPI'S Olympus VI Air-Screen and the Future of Refrigerated Grab & Go Technology

The Olympus VI Raising the bar once again with optional CoilClean Technology

Features:

- · 4000k LED Lighting
- Powder Coat Interior Finish
- 4-16 Gauge Powder Coat Shelves
- Hot Gas Defrost
- Zero Clearance Install
- Service-Friendly Design





How CoilClean Works:

- High efficiency, variable speed and REVERSIBLE DIRECTION ECM fans are mounted to the condenser
- Fans run at 1,400 RPM when the unit goes into defrost and detects a reduction in air flow across the cells
- Air is pushed back through the coil to dislodge particles
- Air is then forced forward through the coil, clearing debris

Olympus VI With CoilClean

Operational Efficiency. Equipment Performance. Cost Reduction.

Get Olympus VI Now

14 Gauge Steel Base



2 Piece Rigid Frictionless Fastener Eliminating Transfer Vibration




Olympus VI With CoilClean Operational Efficiency. Equipment Performance.

Cost Reduction.

Get Olympus VI Now

Flanged Form Fasteners for Holding Standard 2 Inch Caster and Separate Leg Levelers



18 Gauge Steel Tank with Polyisocyanurate Interior Foam



Olympus VI With CoilClean

Operational Efficiency. Equipment Performance. Cost Reduction.

Get Olympus VI Now

Pilaster Internal Flush Mount 10 Gauge Bracket for Maximum Weight Capacity



Laminated end Panel with Interior Insulation



Olympus VI With CoilClean

Operational Efficiency.
Equipment Performance.
Cost Reduction.

Get Olympus VI Now

2 Inch Thick Rear Insulated Panel




Pull Down Night Cover Standard



Operational Efficiency.
Equipment Performance.
Cost Reduction.

Get Olympus VI Now

Built-In Condensate Return



One Piece Removable Spill-Free Deck Pan



Operational Efficiency

Operational Efficiency.
Equipment Performance.
Cost Reduction.

Get Olympus VI Now

Standard Top Canopy 4000k LED Light



One Piece 16 Gauge Powder Coat Shelf with 11 Gauge 3 Position Bracket



Olympus VI With CoilClean

Operational Efficiency.
Equipment Performance.
Cost Reduction.

Get Olympus VI Now

Internal Rear Stops to Assist Air Flow to Product and Minimize Possible Product Freezing



Stainless Steel Evaporater Cover




Operational Efficiency.
Equipment Performance.
Cost Reduction.

Get Olympus VI Now

Hot Gas Defrost for Quick Clearing of Ice Build Up on Coil



Built-In End Panel Extension for Air Chase on Rear of Cabinet to Achieve ZERO Clearance



Olympus VI With CoilClean

Operational Efficiency. Equipment Performance. Cost Reduction.

Get Olympus VI Now

Axial Fan to Assist to Dissipate Condensate Steam



Easy Slide-Out Drawer for Compressor Housing



Olympus VI With CoilClean

Operational Efficiency.
Equipment Performance.
Cost Reduction.

Get Olympus VI Now

Smooth Flush Lift Off Front Air Grill with Red Indicator Light for Cleaning Condensor



Optional Porte Cachee Pocket Doors for Flexibility as Open Air-Screen or Reach-In Application



Shown with optional PORTE CACHEE pocket door system.

Operational Efficiency. Equipment Performance. Cost Reduction.

Get Olympus VI Now